

FR-QC-14/Rev 00

## 1. Product and Company Identification

Material name

Revision date Chemical class

Manufacturer

PADANOXYLATE.10EO

19-05-2020

Surfactant

Padideh Shimi Gharb Co.

No.5.21rd St, Vozara St, Argentina Sq, Tehran,

Iran

+98-21-43413000

2. Hazards Identification

Physical hazards

Health hazards

Environmental hazards

OSHA defined hazards

Signal word

Label elements

Not classified.

Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 1 Hazardous to the aquatic environment, acute hazard Category 2

Not classified

Danger



Hazard statement

Prevention

Response

Storage Disposal Harmful if swallowed. Causes serious eye damage. Toxic to aquatic life. Toxic to aquatic life with

long lasting effects.

Wear eye/face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. If swallowed: Call a poison center/doctor if you fee

If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center/doctor. Collect spillage. Store away from incompatible materials.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 3. Composition / Information on Ingredients

Components Percent

Nonylphenol, 4-, Branched, Ethoxylated 90-100

Other components below reportable levels

<0.1

### 4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least

15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical

attention immediately.



FR-QC-14/Rev 00

Skin contact

Inhalation

Ingestion

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

General information

Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse..

Move to fresh air. Call a physician if symptoms

develop or persist.

Rinse mouth. Get medical attention if symptoms occur.

Do not induce vomiting without advice from

poison control center.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves

### **5. Fire Fighting Measures**

Fire fighting equipment/instructions

Suitable extinguishing media

Unsuitable extinguishing media

Protection of firefighters

Specific hazards arising from the chemical Protective equipment and precautions for firefighters

Specific methods

General fire hazards

Move containers from fire area if you can do so without risk

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

During fire, gases hazardous to health may be formed. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the

hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Environmental precautions

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

Local authorities should be advised if significant spillages cannot be contained.

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.



FR-QC-14/Rev 00

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination

### 7. Handling and Storage

Precautions for safe handling

Conditions for safe storage including any incompatibilities

### 8. Exposure Controls / Personal Protection

Biological limit values

Appropriate engineering controls

Individual protection measures, such as personal protective equipment

Eye / face protection

Skin protection

Hand protection Other

Respiratory protection

Thermal hazards

General hygiene considerations

Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment Store in original tightly closed container.

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Wear eye/face protection. Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is recommended.

Wear appropriate chemical resistant clothing. Chemical resistant gloves.

Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Wear protective gloves.

In case of insufficient ventilation, wear suitable respiratory equipment

Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and before



FR-QC-14/Rev 00

eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants

### 9. Physical & Chemical Properties

Appearance Physical state

рH

Flash point

Flammability limits in air, upper, % by volume

Evaporation rate

Melting point/freezing point

Viscosity Density Pour point Specific gravity

10.Stability & Reactivity

Reactivity

Chemical stability

Conditions to avoid

Incompatible materials Hazardous decomposition

products

Possibility of hazardous

reactions

Clear to slightly hazy.

Liquid.

5 - 8 (10% aqueous)

> 201 °F (> 93.9 °C) Pensky-Martens Closed Cup

Not available.

Estimated slower than ethyl ether

34 °F (1.11 °C) 240 cP @ 25C 7.76 lb/gal @ 25C 42 °F (5.56 °C) 1.05 - 1.07

The product is stable and non-reactive under

normal conditions of use, storage and transport.

Material is stable under normal conditions.

Avoid heat, sparks, open flames and other ignition

sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials..

Strong oxidizing agents. Strong acids.

Irritating and/or toxic fumes and gases may be emitted

upon the products

No dangerous reaction known under conditions of

normal use.

### 11. Toxicological Information

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Symptoms related to the physical, chemical and

toxicological characteristics

Information on toxicological effects

Acute toxicity

Harmful if swallowed

No adverse effects due to inhalation are expected.

Causes mild skin irritation. Causes serious eye damage.

Not available

Product	Species	Test Results
Nonylphenol Ethoxylate-10EO		
Acute		
Dermal		

LD50 Rabbit > 2000 mg/kgOral > 2000 mg/kgLD50 Rat

Eye contact Causes serious eye irritation

Carcinogenicity This product is not considered to be a carcinogen by

IARC, ACGIH, NTP, or OSHA.



FR-QC-14/Rev 00

Skin corrosion/irritation Causes mild skin irritation.

Reproductive effects This product is not expected to cause reproductive or

developmental effects.

Carcinogenicity This product is not considered to be a carcinogen by

IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of

Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR

1910.1001-1052)

US. National Toxicology Program (NTP) Report on

Carcinogens

Reproductive toxicity This product is not expected to cause reproductive or

Specific target organ toxicity- single exposure

Aspiration hazard

Not listed.

Not listed

Not regulated

developmental effects.

Specific target organ toxicity - repeated exposure

Not applicable Not applicable

Not applicable.

### 12. Ecological Information

**Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long

lasting effects.

Product		Species	Test Results	
Nonylphenol Ethoxylate-10EO				
Aquatic				
Acute				
Algae	EC50	Algae	> 1 mg/l, 72 hours	
Crustacea	EC50	Daphnia	> 1 mg/l, 48 hours	
Fish	LC50	Fish	> 1 mg/l, 96 hours	
Persistence / degradability		Expected to be	Expected to be inherently biodegradable	
Bioaccumulation /		No data availal	ole.	
Accumulation				
Mobility in environmental media		No data availal	ole for this product.	
041 1		NI 41		
Other adverse effects			No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential,	
			ochemical ozone creation potential, iption, global warming potential) are	
			this component.	
		expected from	uns component.	

#### 13.Disposal Considerations

Waste codes Dispose of contents/container in accordance with local/regional/national/international regulations

Hazardous waste code The waste code should be assigned in discussion

between the user, the producer and the waste

disposal company.

Dispose of in accordance with local regulations. Waste from residues / unused

products Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved Contaminated packaging

waste handling site for recycling or disposal.

Since emptied containers may retain product residue,



FR-QC-14/Rev 00

follow label warnings even after container is emptied.

### **14.Transport Information**

General

DOT

UN number

UN proper shipping name

Transport hazard class(es)

Class

Subsidiary risk Packing group

Environmental hazards

Marine pollutant

Special precautions for user

**IMDG** 

UN number

UN proper shipping name

Transport hazard class(es)

Class

Subsidiary risk Packing group

Environmental hazards

Marine pollutant

Special precautions for user

DOT; IATA; IMDG

Marine pollutant

The provided transportation classifications are for bulk shipments only and may not be representative of all package/shipment sizes.

UN3082

Environmentally Hazardous Substance, Liquid, N.O.S. (Alcohol C12-C16 Poly (1-6) Ethoxylate), MARINE POLLUTANT

9

Ш

Yes

Not available.

UN3082

Environmentally Hazardous Substance, Liquid, N.O.S. (Alcohol C12-C16 Poly (1-6) Ethoxylate), MARINE POLLUTANT

9

Ш

Yes

Not available.



### 15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### 16.Other Information

Recommended restrictions

NFPA ratings

For industrial use only.

Health: 2 Flammability: 1

Instability: 0



FR-QC-14/Rev 00

Disclaimer

Issue date

Terms and Conditions. This SDS is designed only as guidance for the products to which it applies. To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantibility or fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on the manufacturer's own study and the work of others, and is subject to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The receipt and use of this information constitutes consent to these terms and conditions. 10-05-2020